



MAGNOLIA
METAL
CORPORATION

SAFETY DATA SHEET

No.SDS-1

Rev.3

DATE ISSUED: 6/01/2015

1. IDENTIFICATION

IDENTITY: (label identifier)

Copper – Lead Bronze Castings

This SDS Supplied For:

<u>UNS Designation</u>	<u>Trade Name</u>	<u>UNS Designation</u>	<u>Trade Name</u>
C93600	Magnolia Modified SAE 64 Or Magnolia Regular	C92200	Magnolia Navy "M"
C93700	Magnolia Certified SAE 64	C92700	Magnolia SAE 63
C93200	Magnolia SAE 660	C92800	Magnolia Alloy 928
C94100	Magnolia "120" High Lead	C83600	Magnolia SAE 40
C94500	Magnolia CDA 94500	C94300	Magnolia HRD-8

MANUFACTURER'S NAME

Magnolia Metal Corporation

STREET ADDRESS

63859 730 Road

EMERGENCY TELEPHONE NO.

402-274-3152

MAILING ADDRESS

Same

TELEPHONE NO.

402-274-3152

CITY, STATE, ZIP CODE, COUNTRY

Auburn, Nebraska 68305 USA

FAX NO.

402-274-3156

E-MAIL ADDRESS/WEBSITE

bronzesales@magnoliabronze.com

RECOMMENDED USE:

Bronze bushings, bearings and other industrial uses

2. HAZARD IDENTIFICATION

Hazard Symbol:



Signal Word: DANGER

Hazard Statement: May cause respiratory irritation (lung, central nervous system) through prolonged use.
Suspected of causing cancer and birth defects or other reproductive harm.

Precautionary Statement

Prevention : Do not handle until all safety precautions have been read and understood.

- Do not eat, drink or smoke while handling this product.
- Wash hands, face and any exposed skin after handling.
- Avoid breathing dust, fumes or mist.
- Use personal protective equipment as required.

Response: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse with water for 15 minutes. If eye irritation persists seek medical attention.

IF ON SKIN: Wash with soap and water. If skin irritation or rash occurs seek medical attention.

Storage: No special requirements.

Disposal: Recover or recycle if possible. Dispose of according to local, regional, national and international Regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME/COMMON NAME/SYNONYM	Wt %	CAS NUMBER
Antimony (Sb) Metal	0.0–0.95	7440-36-0
Copper (Cu) Metal	65.0–94.0	7440-50-8
Lead (Pb) Metal	2.0–25.0	7439-92-1
Nickel (Ni) Metal	0.0–1.0	7440-02-0
Phosphorus (P) Metal	<0.5–1.5	7723-14-0
Tin (Sn) Metal	2.0–17.0	7440-31-5
Zinc (Zn) Metal	0.0–12.0	7440-66-6

4. FIRST AID MEASURES

EYE CONTACT: Do not rub eyes. Flush eyes with plenty of water for 15 minutes. Remove contact lenses. If irritation persists seek medical attention.

SKIN CONTACT: Wash with soap and water. If skin irritation or rash occurs seek medical attention.

INGESTION: Rinse mouth thoroughly if dust is ingested. Get medical attention if any discomfort continues.

INHALATION: In the event of excessive exposure to dust or fumes, remove employee to fresh air. If breathing is difficult obtain immediate medical assistance.

5. FIREFIGHTING MEASURES

FLAMMABLE PROPERTIES: This product is not flammable. When involved in a fire decomposition of this product may produce metal fumes or gases hazardous to health.

EXTINGUISHING MEDIA: Special powder against metal fires or dry sand.

PROTECTION OF FIREFIGHTERS: Self-contained breathing apparatus and protective clothing

6. ACCIDENTAL RELEASE MEASURES

Not applicable

7. HANDLING & STORAGE

RECOMMENDED STORAGE

No special requirements

ADVICE ON SAFE HANDLING

Proper eye, hand and foot protection is recommended..

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS

There are no health hazards from castings in solid form. If an operation generates dust, fumes or mist use proper ventilation to keep airborne contaminants below the exposure limit. Please consult a competent person for guidance on exposure assessment and controls.

SUBSTANCE	ACGIH TLV mg/m ³	OSHA PEL mg/m ³	NIOSH mg/m ³
Antimony (Sb)	0.5	0.5	0.5
Copper (Cu)	1	1	1
Lead (Pb)	0.15	0.05	0.1
Nickel (Ni)	1.5 (I)	1	0.015
Tin (Sn)	2	2	2
Phosphorus (P)	0.1	0.1	0.1
Zinc (Zn)	N/E	N/E	N/E

TERMS

All exposure limits are based on an 8 hour time weighted average (TWA) unless otherwise noted.

N/E = None Established

I = Inhalable fraction

TLV = Threshold Limit Value/American Conference of Governmental Industrial Hygienists (ACGIH)

PEL = Permissible Exposure Limit / OSHA

AL = Action Level / OSHA

mg/m³ = milligrams per cubic meter

µg/m³ = micrograms per cubic meter

PERSONAL PROTECTION

Eye Protection: Use safety glasses with side shields.

Hand protection: Use suitable protective gloves to prevent cuts and abrasions.

Skin protection: Not normally needed.

Other: Wear suitable protective clothing.

Respiratory protection: Only required if the exposure limits are exceeded. Use NIOSH approved respirator for toxic dust, fume or mist. A respiratory protection plan that meets OSHA's 29 CFR and ANSI Z88.2 requirements must be followed whenever work place conditions warrant the use of a respirator.

General hygiene practices: Do not eat, drink or smoke in the work area. Wash face, hands and any exposed skin after handling the material and before eating, drinking or smoking. Contaminated work clothing should not be worn home after work and should be stored separate from street clothing. If possible, an industrial laundry service should be used to eliminate the possibility of contaminating the home environment.

9. PHYSICAL & CHEMICAL PROPERTIES

APPEARANCE /PHYSICAL STATE: Solid, Orange-red in color

ODOR: None

MELTING POINT/FREEZING POINT: Approximately 1085°C (1984°F) for copper. Melting point of copper-lead alloy (34% lead) is approximately 975°C (1787°F)

BOILING POINT: 2562°C (4644°F) for copper

FLAMMABILITY: Not flammable for castings in solid form

UPPER AND LOWER FLAMMABILITY LIMITS: Not applicable for castings in solid form

AUTO IGNITION TEMPERATURE: Not applicable

DECOMPOSITION TEMPERATURE: Not applicable

VAPOR DENSITY: Not applicable

SPECIFIC GRAVITY (relative density): 8.96 g/cm³ for copper (water = 1)

VAPOR PRESSURE: Not applicable

EVAPORATION RATE: Not applicable

SOLUBILITY IN WATER: Insoluble

pH: Not applicable

VISCOSITY: Not applicable

PARTITION COEFFICIENT: Not applicable

FLASH POINT: Not applicable for solid castings

10. STABILITY & REACTIVITY

CHEMICAL STABILITY: Castings in solid form are stable.

CONDITIONS TO AVOID: None

REACTIVITY: Not reactive

HAZARDOUS DECOMPOSITION PRODUCTS: Welding, burning, sawing, grinding or machining may generate dusts and fumes of metal oxides.

INCOMPATIBLE MATERIALS: None

HAZARDOUS POLYMERIZATION: Not applicable

11. TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS

The solid casting presents no significant health hazards under normal handling conditions. Dust, fumes or mist generated by machining, grinding, welding or cutting may result in potential exposure to airborne metal particles.

EYE CONTACT: Mechanical actions may produce dust, fumes or mist that could irritate the eye.

SKIN: May cause an allergic reaction to the skin.

INGESTION: Ingestion of dusts generated during working operations may cause nausea and vomiting.

INHALATION: Mechanical actions may produce dust, fumes or mist which may be irritating to mucous membranes and respiratory tract.

Carcinogen Classification of Ingredients

INGREDIENT	OSHA	NTP	IARC	TARGET ORGAN(S)
Lead and Inorganic Compounds	NL	R	2A	Lung, Stomach, Liver, Kidney
Nickel Metal	NL	K	2B	Lung, Nasal passages

TERMS

OSHA—Occupational Safety & Health Administration

Y = Listed as a Human Carcinogen

NTP—National Toxicology Program

K = Known to be a Human Carcinogen

R = Reasonably Anticipated to be a Human Carcinogen (RAHC)

IARC—International Agency for Research on Cancer

1 = Carcinogenic to Humans

2A = Probably Carcinogenic to Humans

2B = Possibly Carcinogenic to Humans

3 = Unclassifiable as to Carcinogenicity in Humans

4 = Probably not Carcinogenic to Humans

Other

NL = Not Listed

12. ECOLOGICAL INFORMATION

ECOTOXICITY Not applicable	PERSISTENCE AND DEGRADABILITY Not applicable
BIOACCUMULATION POTENTIAL Not applicable	MOBILITY IN SOIL Not applicable
OTHER ADVERSE EFFECTS Not applicable	

13. DISPOSAL CONSIDERATIONS

Recover or recycle if possible. Dispose of according to local, regional, national and international regulations. Dust collected from machining, etc. may be classified as hazardous. Consult authorities before disposing.

14. TRANSPORT INFORMATION

US DEPARTMENT OF TRANSPORTATION (DOT)-HMR (Hazardous Materials Registration) Not Regulated	CANADIAN TRANSPORTATION OF DANGEROUS GOODS (TDG) Not regulated
UN SHIPPING NAME Not regulated	UN NUMBER Not regulated
TRANSPORT HAZARD CLASS Not regulated	PACKING GROUP Not regulated
ENVIRONMENTAL HAZARDS None	LABEL(S) REQUIRED Yes
TRANSPORT IN BULK Not applicable	SPECIAL SHIPPING INFORMATION Not applicable

15. REGULATORY INFORMATION

US-OSHA (Hazard Communication Standard)

References: 29 CFR 1910.1200 Hazard Communication Standard

A finished casting is an article as defined in 29CFR 1910.1200 (c)

29 CFR 1910.1000 Air Contaminants

29 CFR 1910.1025 Lead

Dust or fumes generated by cleaning, machining, grinding, or welding of the casting may produce airborne contaminants, such as antimony, copper, lead, nickel, tin, phosphorus, zinc and silica.

US-EPA (Toxic Substances Control Act–TSCA)

All components of these products are on the TSCA inventory list or are excluded from listing.

US-EPA (SARA Title III)

Releases to the environment of **Copper, Lead, Nickel, and Zinc (fume or dust)** may be subject to reporting under Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

CANADA-WHMIS (Workplace Hazardous Materials Information System)

This SDS has been prepared according to the hazard criteria of the Controlled Product Regulations (CPR) and the SDS contains the information required by the CPR.

CANADA DSL (Domestic Substances List) Inventory Status

All components of these products are on the DSL Inventory.

CEPA (Canadian Environmental Protection Act)

Lead is on the Toxic Substances List.

EINECS No. (European Inventory of Existing Commercial Chemical Substances)

All components of these products are on the EINECS list.

RoHS (Restriction of Certain Hazardous Substances) Compliance

Castings comply with RoHS

CALIFORNIA PROPOSITION 65 Compliance



WARNING: This product may expose you to chemicals including Lead and Nickel which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information visit www.P65Warning.ca.gov (California Health & Safety Code 25248.5 et seq.).

US STATE REGULATORY INFORMATION

Some of the components listed in Section 3 may be covered under specific state regulations.

16. OTHER INFORMATION

Prepared By: Scott A. Reid

Date Issued: 6/1/2015

Revision Date: 11/15/2018

NOTE

Information presented herein has been compiled from sources considered to be reliable and is accurate and reliable to the best of our knowledge and belief but is not guaranteed to be so. The data given is designed for guidance during handling, processing, storage, transportation, disposal and release and is not to be considered a warranty. Each user should review the recommendations in specific context of the intended use and determine if they are appropriate.